

Local Coverage Article: Billing and Coding: Controlled Substance Monitoring and Abuse TESTING (A56645) DRUGS of

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
Novitas Solutions, Inc.	A and B MAC	04111 - MAC A	J - H	Colorado
Novitas Solutions, Inc.	A and B MAC	04112 - MAC B	J - H	Colorado
Novitas Solutions, Inc.	A and B MAC	04211 - MAC A	J - H	New Mexico
Novitas Solutions, Inc.	A and B MAC	04212 - MAC B	J - H	New Mexico
Novitas Solutions, Inc.	A and B MAC	04311 - MAC A	J - H	Oklahoma
Novitas Solutions, Inc.	A and B MAC	04312 - MAC B	J - H	Oklahoma
Novitas Solutions, Inc.	A and B MAC	04411 - MAC A	J - H	Texas
Novitas Solutions, Inc.	A and B MAC	04412 - MAC B	J - H	Texas
Novitas Solutions, Inc.	A and B MAC	04911 - MAC A	J - H	Colorado New Mexico Oklahoma Texas
Novitas Solutions, Inc.	A and B MAC	07101 - MAC A	J - H	Arkansas
Novitas Solutions, Inc.	A and B MAC	07102 - MAC B	J - H	Arkansas
Novitas Solutions, Inc.	A and B MAC	07201 - MAC A	J - H	Louisiana
Novitas Solutions, Inc.	A and B MAC	07202 - MAC B	J - H	Louisiana
Novitas Solutions, Inc.	A and B MAC	07301 - MAC A	J - H	Mississippi
Novitas Solutions, Inc.	A and B MAC	07302 - MAC B	J - H	Mississippi
Novitas Solutions, Inc.	A and B MAC	12101 - MAC A	J - L	Delaware
Novitas Solutions, Inc.	A and B MAC	12102 - MAC B	J - L	Delaware
Novitas Solutions, Inc.	A and B MAC	12201 - MAC A	J - L	District of Columbia
Novitas Solutions, Inc.	A and B MAC	12202 - MAC B	J - L	District of Columbia
Novitas Solutions, Inc.	A and B MAC	12301 - MAC A	J - L	Maryland
Novitas Solutions, Inc.	A and B MAC	12302 - MAC B	J - L	Maryland
Novitas Solutions, Inc.	A and B MAC	12401 - MAC A	J - L	New Jersey
Novitas Solutions, Inc.	A and B MAC	12402 - MAC B	J - L	New Jersey
Novitas Solutions, Inc.	A and B MAC	12501 - MAC A	J - L	Pennsylvania

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
Novitas Solutions, Inc.	A and B MAC	12502 - MAC B	J - L	Pennsylvania
Novitas Solutions, Inc.	A and B MAC	12901 - MAC A	J - L	Delaware District of Columbia Maryland New Jersey Pennsylvania

Article Information

General Information

Article ID

A56645

Original Effective Date

06/27/2019

Article Title

Billing and Coding: Controlled Substance Monitoring and DRUGs of Abuse TESTing

Revision Effective Date

10/01/2019

Article Type

Billing and Coding

Revision Ending Date

N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are copyright 2019 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Retirement Date

N/A

Current Dental Terminology © 2019 American Dental Association. All rights reserved.

Copyright © 2020, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any

modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association.

To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at ub04@healthforum.com.

CMS National Coverage Policy

Please refer to the related LCD, L35006.

Article Guidance

Article Text:

Refer to the Novitas Local Coverage Determination (LCD) L35006, Controlled Substance Monitoring and DRUGs of Abuse TESTING, for reasonable and necessary requirements and frequency limitations.

The Current Procedural Terminology (CPT)/Healthcare Common Procedure Coding System (HCPCS) code(s) may be subject to National Correct Coding Initiative (NCCI) edits. This information does not take precedence over NCCI edits. Please refer to NCCI for correct coding guidelines and specific applicable code combinations prior to billing Medicare.

Frequency Limitations

Consistent with the related LCD:

1. It is not appropriate to report more than twelve (12) presumptive UDT TESTING (CPT code 80305, 80306, or 80307) TESTING services per calendar year.
 - As stated in the related LCD, an exception will be made for patients with documented diagnoses consistent with a substance abuse disorder (SUD). It is not appropriate to report more than three (3) presumptive UDT TESTs (80305, 80306, or 80307) in seven (7) days when billed with any of the ICD-10 codes noted in ICD-10 Group 1 Paragraph.
2. It is not appropriate to report more than twelve (12) definitive UDT TESTING services (CPT/HCPCS code G0480, G0481, G0482, G0483, or G0659) per calendar year for chronic opioid therapy (COT), as noted in ICD-10 Group 2 Paragraph. Refer to the related LCD for more information.
3. It is not appropriate to report more than one presumptive TEST result per patient per date of service regardless of the number of billing providers.

Coding Information

CPT/HCPCS Codes

Group 1 Paragraph:

Note: Providers are reminded to refer to the long descriptors of the CPT codes in their CPT book.

Presumptive UDT

Group 1 Codes:

CODE	DESCRIPTION
80305	Drug test prsmv dir opt obs
80306	Drug test prsmv instrmnt
80307	Drug test prsmv chem analyzr

Group 2 Paragraph:

Definitive UDT

Group 2 Codes:

CODE	DESCRIPTION
G0480	Drug test def 1-7 classes
G0481	Drug test def 8-14 classes
G0482	Drug test def 15-21 classes
G0483	Drug test def 22+ classes
G0659	Drug test def simple all cl

CPT/HCPCS Modifiers

N/A

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph:

It is the provider's responsibility to select codes carried out to the highest level of specificity and selected from the ICD-10-CM code book appropriate to the year in which the service is rendered for the claim(s) submitted.

Physicians are to select the most appropriate diagnosis code. Labs are not to prepopulate requisition forms with diagnosis codes.

Medicare is establishing the following limited coverage for **CPT/HCPCS codes: 80305, 80306, and 80307 (Presumptive UDT)**

Group 1 Codes:

ICD-10 CODE	DESCRIPTION
E87.2	Acidosis
F10.120*	Alcohol abuse with intoxication, uncomplicated
F11.20*	Opioid dependence, uncomplicated
F12.120*	Cannabis abuse with intoxication, uncomplicated
F12.220*	Cannabis dependence with intoxication, uncomplicated
F13.120*	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated
F14.120*	Cocaine abuse with intoxication, uncomplicated
F14.220*	Cocaine dependence with intoxication, uncomplicated
F16.120*	Hallucinogen abuse with intoxication, uncomplicated
F18.10*	Inhalant abuse, uncomplicated
F18.120*	Inhalant abuse with intoxication, uncomplicated
F18.90*	Inhalant use, unspecified, uncomplicated
F19.20*	Other psychoactive substance dependence, uncomplicated
F20.0	Paranoid schizophrenia
F20.1	Disorganized schizophrenia
F20.2	Catatonic schizophrenia
F20.89	Other schizophrenia
F55.3*	Abuse of steroids or hormones
F55.4*	Abuse of vitamins
F55.8*	Abuse of other non-psychoactive substances
G40.301	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.309	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.311	Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus
G40.319	Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.901	Epilepsy, unspecified, not intractable, with status epilepticus
G40.909	Epilepsy, unspecified, not intractable, without status epilepticus
G40.911	Epilepsy, unspecified, intractable, with status epilepticus
G40.919	Epilepsy, unspecified, intractable, without status epilepticus
I44.0	Atrioventricular block, first degree

ICD-10 CODE	DESCRIPTION
I44.1	Atrioventricular block, second degree
I44.30	Unspecified atrioventricular block
I45.81	Long QT syndrome
I47.1	Supraventricular tachycardia
I47.2	Ventricular tachycardia
M25.50	Pain in unspecified joint
M47.811	Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region
M47.812	Spondylosis without myelopathy or radiculopathy, cervical region
M47.813	Spondylosis without myelopathy or radiculopathy, cervicothoracic region
M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region
M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region
M47.818	Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region
M51.14	Intervertebral disc disorders with radiculopathy, thoracic region
M51.15	Intervertebral disc disorders with radiculopathy, thoracolumbar region
M51.16	Intervertebral disc disorders with radiculopathy, lumbar region
M51.17	Intervertebral disc disorders with radiculopathy, lumbosacral region
M51.36	Other intervertebral disc degeneration, lumbar region
M51.37	Other intervertebral disc degeneration, lumbosacral region
M54.10	Radiculopathy, site unspecified
M54.14	Radiculopathy, thoracic region
M54.15	Radiculopathy, thoracolumbar region
M54.16	Radiculopathy, lumbar region
M54.17	Radiculopathy, lumbosacral region
M54.18	Radiculopathy, sacral and sacrococcygeal region
M54.2	Cervicalgia
M54.5	Low back pain
M60.811	Other myositis, right shoulder
M60.812	Other myositis, left shoulder
M60.821	Other myositis, right upper arm
M60.822	Other myositis, left upper arm
M60.831	Other myositis, right forearm
M60.832	Other myositis, left forearm

ICD-10 CODE	DESCRIPTION
M60.841	Other myositis, right hand
M60.842	Other myositis, left hand
M60.851	Other myositis, right thigh
M60.852	Other myositis, left thigh
M60.861	Other myositis, right lower leg
M60.862	Other myositis, left lower leg
M60.871	Other myositis, right ankle and foot
M60.872	Other myositis, left ankle and foot
M60.88	Other myositis, other site
M60.89	Other myositis, multiple sites
M79.11	Myalgia of mastication muscle
M79.12	Myalgia of auxiliary muscles, head and neck
M79.18	Myalgia, other site
M79.2	Neuralgia and neuritis, unspecified
M79.7	Fibromyalgia
R40.0	Somnolence
R40.1	Stupor
R40.2111	Coma scale, eyes open, never, in the field [EMT or ambulance]
R40.2112	Coma scale, eyes open, never, at arrival to emergency department
R40.2113	Coma scale, eyes open, never, at hospital admission
R40.2114	Coma scale, eyes open, never, 24 hours or more after hospital admission
R40.2121	Coma scale, eyes open, to pain, in the field [EMT or ambulance]
R40.2122	Coma scale, eyes open, to pain, at arrival to emergency department
R40.2123	Coma scale, eyes open, to pain, at hospital admission
R40.2124	Coma scale, eyes open, to pain, 24 hours or more after hospital admission
R40.2211	Coma scale, best verbal response, none, in the field [EMT or ambulance]
R40.2212	Coma scale, best verbal response, none, at arrival to emergency department
R40.2213	Coma scale, best verbal response, none, at hospital admission
R40.2214	Coma scale, best verbal response, none, 24 hours or more after hospital admission
R40.2221	Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]
R40.2222	Coma scale, best verbal response, incomprehensible words, at arrival to emergency

ICD-10 CODE	DESCRIPTION
	department
R40.2223	Coma scale, best verbal response, incomprehensible words, at hospital admission
R40.2224	Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission
R40.2311	Coma scale, best motor response, none, in the field [EMT or ambulance]
R40.2312	Coma scale, best motor response, none, at arrival to emergency department
R40.2313	Coma scale, best motor response, none, at hospital admission
R40.2314	Coma scale, best motor response, none, 24 hours or more after hospital admission
R40.2321	Coma scale, best motor response, extension, in the field [EMT or ambulance]
R40.2322	Coma scale, best motor response, extension, at arrival to emergency department
R40.2323	Coma scale, best motor response, extension, at hospital admission
ICD-10 CODE	DESCRIPTION
R40.2324	Coma scale, best motor response, extension, 24 hours or more after hospital admission
R40.2341	Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]
R40.2342	Coma scale, best motor response, flexion withdrawal, at arrival to emergency department
R40.2343	Coma scale, best motor response, flexion withdrawal, at hospital admission
R40.2344	Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission
R40.2410	Glasgow coma scale score 13-15, unspecified time
R40.2411	Glasgow coma scale score 13-15, in the field [EMT or ambulance]
R40.2412	Glasgow coma scale score 13-15, at arrival to emergency department
R40.2413	Glasgow coma scale score 13-15, at hospital admission
R40.2414	Glasgow coma scale score 13-15, 24 hours or more after hospital admission
R40.2420	Glasgow coma scale score 9-12, unspecified time
R40.2421	Glasgow coma scale score 9-12, in the field [EMT or ambulance]
R40.2422	Glasgow coma scale score 9-12, at arrival to emergency department
R40.2423	Glasgow coma scale score 9-12, at hospital admission
R40.2424	Glasgow coma scale score 9-12, 24 hours or more after hospital admission
R40.2430	Glasgow coma scale score 3-8, unspecified time
R40.2431	Glasgow coma scale score 3-8, in the field [EMT or ambulance]

ICD-10 CODE	DESCRIPTION
R40.2432	Glasgow coma scale score 3-8, at arrival to emergency department
R40.2433	Glasgow coma scale score 3-8, at hospital admission
R40.2434	Glasgow coma scale score 3-8, 24 hours or more after hospital admission
R40.2440	Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time
R40.2441	Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]
R40.2442	Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department
R40.2443	Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission
R40.2444	Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission
R41.0	Disorientation, unspecified
R41.82	Altered mental status, unspecified
R44.0	Auditory hallucinations
R44.3	Hallucinations, unspecified
R56.9	Unspecified convulsions
T39.011A	Poisoning by aspirin, accidental (unintentional), initial encounter
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter
T39.013A	Poisoning by aspirin, assault, initial encounter
T39.014A	Poisoning by aspirin, undetermined, initial encounter
T39.091A	Poisoning by salicylates, accidental (unintentional), initial encounter
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter
T39.093A	Poisoning by salicylates, assault, initial encounter
T39.094A	Poisoning by salicylates, undetermined, initial encounter
T39.1X1A	Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter
T39.1X3A	Poisoning by 4-Aminophenol derivatives, assault, initial encounter
T39.1X4A	Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter
T39.2X1A	Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter
T39.2X3A	Poisoning by pyrazolone derivatives, assault, initial encounter

ICD-10 CODE	DESCRIPTION
T39.2X4A	Poisoning by pyrazolone derivatives, undetermined, initial encounter
T39.311A	Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter
T39.313A	Poisoning by propionic acid derivatives, assault, initial encounter
T39.314A	Poisoning by propionic acid derivatives, undetermined, initial encounter
T39.391A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter
T39.393A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial encounter
T39.394A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, initial encounter
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter
T40.0X3A	Poisoning by opium, assault, initial encounter
T40.0X4A	Poisoning by opium, undetermined, initial encounter
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter
T40.1X3A	Poisoning by heroin, assault, initial encounter
T40.1X4A	Poisoning by heroin, undetermined, initial encounter
T40.2X1A	Poisoning by other opioids, accidental (unintentional), initial encounter
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter
T40.2X3A	Poisoning by other opioids, assault, initial encounter
T40.2X4A	Poisoning by other opioids, undetermined, initial encounter
T40.3X1A	Poisoning by methadone, accidental (unintentional), initial encounter
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter
T40.3X3A	Poisoning by methadone, assault, initial encounter
T40.3X4A	Poisoning by methadone, undetermined, initial encounter
T40.4X1A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter
T40.4X3A	Poisoning by other synthetic narcotics, assault, initial encounter
T40.4X4A	Poisoning by other synthetic narcotics, undetermined, initial encounter

ICD-10 CODE	DESCRIPTION
T40.5X1A	Poisoning by cocaine, accidental (unintentional), initial encounter
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter
T40.5X3A	Poisoning by cocaine, assault, initial encounter
T40.5X4A	Poisoning by cocaine, undetermined, initial encounter
T40.601A	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter
T40.603A	Poisoning by unspecified narcotics, assault, initial encounter
T40.604A	Poisoning by unspecified narcotics, undetermined, initial encounter
T40.691A	Poisoning by other narcotics, accidental (unintentional), initial encounter
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter
T40.693A	Poisoning by other narcotics, assault, initial encounter
T40.694A	Poisoning by other narcotics, undetermined, initial encounter
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter
T40.7X3A	Poisoning by cannabis (derivatives), assault, initial encounter
T40.7X4A	Poisoning by cannabis (derivatives), undetermined, initial encounter
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter
T40.8X3A	Poisoning by lysergide [LSD], assault, initial encounter
T40.8X4A	Poisoning by lysergide [LSD], undetermined, initial encounter
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40.903A	Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter
T40.904A	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter
T40.991A	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40.993A	Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter
ICD-10 CODE	DESCRIPTION
T40.994A	Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter

ICD-10 CODE	DESCRIPTION
T42.0X1A	Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter
T42.0X3A	Poisoning by hydantoin derivatives, assault, initial encounter
T42.0X4A	Poisoning by hydantoin derivatives, undetermined, initial encounter
T42.3X1A	Poisoning by barbiturates, accidental (unintentional), initial encounter
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter
T42.3X3A	Poisoning by barbiturates, assault, initial encounter
T42.3X4A	Poisoning by barbiturates, undetermined, initial encounter
T42.4X1A	Poisoning by benzodiazepines, accidental (unintentional), initial encounter
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter
T42.4X3A	Poisoning by benzodiazepines, assault, initial encounter
T42.4X4A	Poisoning by benzodiazepines, undetermined, initial encounter
T42.6X1A	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.6X3A	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter
T42.6X4A	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter
T43.011A	Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter
T43.013A	Poisoning by tricyclic antidepressants, assault, initial encounter
T43.014A	Poisoning by tricyclic antidepressants, undetermined, initial encounter
T43.021A	Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter
T43.023A	Poisoning by tetracyclic antidepressants, assault, initial encounter
T43.024A	Poisoning by tetracyclic antidepressants, undetermined, initial encounter
T43.1X1A	Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), initial encounter
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter
T43.1X3A	Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter

ICD-10 CODE	DESCRIPTION
T43.1X4A	Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial encounter
T43.201A	Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter
T43.203A	Poisoning by unspecified antidepressants, assault, initial encounter
T43.204A	Poisoning by unspecified antidepressants, undetermined, initial encounter
T43.211A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter
T43.213A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter
T43.214A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter
T43.221A	Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter
T43.223A	Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter
T43.224A	Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter
T43.291A	Poisoning by other antidepressants, accidental (unintentional), initial encounter
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter
T43.293A	Poisoning by other antidepressants, assault, initial encounter
T43.294A	Poisoning by other antidepressants, undetermined, initial encounter
T43.3X1A	Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.3X3A	Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter
T43.3X4A	Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter
T43.4X1A	Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter

ICD-10 CODE	DESCRIPTION
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter
T43.4X3A	Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter
T43.4X4A	Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial encounter
T43.501A	Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.503A	Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter
T43.504A	Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial encounter
T43.591A	Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.593A	Poisoning by other antipsychotics and neuroleptics, assault, initial encounter
T43.594A	Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter
T43.601A	Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter
T43.603A	Poisoning by unspecified psychostimulants, assault, initial encounter
T43.604A	Poisoning by unspecified psychostimulants, undetermined, initial encounter
T43.611A	Poisoning by caffeine, accidental (unintentional), initial encounter
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter
T43.613A	Poisoning by caffeine, assault, initial encounter
T43.614A	Poisoning by caffeine, undetermined, initial encounter
T43.621A	Poisoning by amphetamines, accidental (unintentional), initial encounter
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter
T43.623A	Poisoning by amphetamines, assault, initial encounter
T43.624A	Poisoning by amphetamines, undetermined, initial encounter
T43.631A	Poisoning by methylphenidate, accidental (unintentional), initial encounter
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter
T43.633A	Poisoning by methylphenidate, assault, initial encounter

ICD-10 CODE	DESCRIPTION
T43.634A	Poisoning by methylphenidate, undetermined, initial encounter
T43.641A	Poisoning by ecstasy, accidental (unintentional), initial encounter
T43.642A	Poisoning by ecstasy, intentional self-harm, initial encounter
T43.643A	Poisoning by ecstasy, assault, initial encounter
T43.644A	Poisoning by ecstasy, undetermined, initial encounter
T43.691A	Poisoning by other psychostimulants, accidental (unintentional), initial encounter
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter
T43.693A	Poisoning by other psychostimulants, assault, initial encounter
T43.694A	Poisoning by other psychostimulants, undetermined, initial encounter
T43.8X1A	Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter
T43.8X3A	Poisoning by other psychotropic drugs, assault, initial encounter
T43.8X4A	Poisoning by other psychotropic drugs, undetermined, initial encounter
T43.91XA	Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter
T43.93XA	Poisoning by unspecified psychotropic drug, assault, initial encounter
T43.94XA	Poisoning by unspecified psychotropic drug, undetermined, initial encounter
T45.0X1A	Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter
T45.0X3A	Poisoning by antiallergic and antiemetic drugs, assault, initial encounter
T45.0X4A	Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter
T46.0X1A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), initial encounter
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter
T46.0X3A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, initial encounter
ICD-10 CODE	DESCRIPTION
T46.0X4A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, initial encounter
T50.901A	Poisoning by unspecified drugs, medicaments and biological substances, accidental

ICD-10 CODE	DESCRIPTION
	(unintentional), initial encounter
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter
T50.903A	Poisoning by unspecified drugs, medicaments and biological substances, assault, initial encounter
T50.904A	Poisoning by unspecified drugs, medicaments and biological substances, undetermined, initial encounter
T50.911A	Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter
T50.912A	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter
T50.913A	Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, initial encounter
T50.914A	Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, initial encounter
T50.991A	Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), initial encounter
Z71.51*	Drug abuse counseling and surveillance of drug abuser
Z79.891	Long term (current) use of opiate analgesic
Z79.899	Other long term (current) drug therapy
Z91.120	Patient's intentional underdosing of medication regimen due to financial hardship
Z91.128	Patient's intentional underdosing of medication regimen for other reason
Z91.130	Patient's unintentional underdosing of medication regimen due to age-related debility
Z91.138	Patient's unintentional underdosing of medication regimen for other reason
Z91.14	Patient's other noncompliance with medication regimen
Z91.19	Patient's noncompliance with other medical treatment and regimen

Group 1 Medical Necessity ICD-10 Codes Asterisk Explanation:

*F10.120, F11.20, F12.120, F12.220, F13.120, F14.120, F14.220, F16.120, F18.10, F18.120, F18.90, F19.20, F55.3, F55.4, F55.8: Signify diagnosis codes which are exempt from Group 1 codes one per calendar year frequency limit, given their status as substance use disorder (SUD) codes.

*Report monitoring of patient compliance in a drug treatment program using Z71.51 as the primary diagnosis and the specific drug dependence diagnosis as the secondary diagnosis.

Group 2 Paragraph:

Physicians are to select the most appropriate diagnosis code. Labs are not to prepopulate requisition forms with diagnosis codes.

Medicare is establishing the following limited coverage for **CPT/HCPCS codes: G0480, G0481, G0482, G0483, or G0659 (Definitive UDT)**

Group 2 Codes:

ICD-10 CODE	DESCRIPTION
E03.5	Myxedema coma
E87.2	Acidosis
F10.11	Alcohol abuse, in remission
F10.120	Alcohol abuse with intoxication, uncomplicated
F10.121	Alcohol abuse with intoxication delirium
F10.129	Alcohol abuse with intoxication, unspecified
F10.14	Alcohol abuse with alcohol-induced mood disorder
F10.150	Alcohol abuse with alcohol-induced psychotic disorder with delusions
F10.151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
F10.159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
F10.180	Alcohol abuse with alcohol-induced anxiety disorder
F10.181	Alcohol abuse with alcohol-induced sexual dysfunction
F10.182	Alcohol abuse with alcohol-induced sleep disorder
F10.188	Alcohol abuse with other alcohol-induced disorder
F10.19	Alcohol abuse with unspecified alcohol-induced disorder
F10.20	Alcohol dependence, uncomplicated
F10.21	Alcohol dependence, in remission
F10.220	Alcohol dependence with intoxication, uncomplicated
F10.221	Alcohol dependence with intoxication delirium
F10.229	Alcohol dependence with intoxication, unspecified
F10.230	Alcohol dependence with withdrawal, uncomplicated
F10.231	Alcohol dependence with withdrawal delirium
F10.232	Alcohol dependence with withdrawal with perceptual disturbance
F10.239	Alcohol dependence with withdrawal, unspecified
F10.24	Alcohol dependence with alcohol-induced mood disorder
F10.250	Alcohol dependence with alcohol-induced psychotic disorder with delusions

ICD-10 CODE	DESCRIPTION
F10.251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
F10.259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
F10.26	Alcohol dependence with alcohol-induced persisting amnestic disorder
F10.27	Alcohol dependence with alcohol-induced persisting dementia
F10.280	Alcohol dependence with alcohol-induced anxiety disorder
F10.281	Alcohol dependence with alcohol-induced sexual dysfunction
F10.282	Alcohol dependence with alcohol-induced sleep disorder
F10.288	Alcohol dependence with other alcohol-induced disorder
F10.29	Alcohol dependence with unspecified alcohol-induced disorder
F10.920	Alcohol use, unspecified with intoxication, uncomplicated
F10.921	Alcohol use, unspecified with intoxication delirium
F10.929	Alcohol use, unspecified with intoxication, unspecified
F10.94	Alcohol use, unspecified with alcohol-induced mood disorder
F10.950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
F10.951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
F10.959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
F10.96	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F10.97	Alcohol use, unspecified with alcohol-induced persisting dementia
F10.980	Alcohol use, unspecified with alcohol-induced anxiety disorder
F10.981	Alcohol use, unspecified with alcohol-induced sexual dysfunction
F10.982	Alcohol use, unspecified with alcohol-induced sleep disorder
F10.988	Alcohol use, unspecified with other alcohol-induced disorder
F10.99	Alcohol use, unspecified with unspecified alcohol-induced disorder
F11.11	Opioid abuse, in remission
F11.120	Opioid abuse with intoxication, uncomplicated
F11.121	Opioid abuse with intoxication delirium
F11.122	Opioid abuse with intoxication with perceptual disturbance
F11.129	Opioid abuse with intoxication, unspecified
F11.14	Opioid abuse with opioid-induced mood disorder
F11.150	Opioid abuse with opioid-induced psychotic disorder with delusions
F11.151	Opioid abuse with opioid-induced psychotic disorder with hallucinations
F11.159	Opioid abuse with opioid-induced psychotic disorder, unspecified

ICD-10 CODE	DESCRIPTION
F11.181	Opioid abuse with opioid-induced sexual dysfunction
F11.182	Opioid abuse with opioid-induced sleep disorder
F11.188	Opioid abuse with other opioid-induced disorder
F11.19	Opioid abuse with unspecified opioid-induced disorder
F11.20	Opioid dependence, uncomplicated
F11.21	Opioid dependence, in remission
F11.220	Opioid dependence with intoxication, uncomplicated
F11.221	Opioid dependence with intoxication delirium
F11.222	Opioid dependence with intoxication with perceptual disturbance
F11.229	Opioid dependence with intoxication, unspecified
F11.23	Opioid dependence with withdrawal
F11.24	Opioid dependence with opioid-induced mood disorder
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11.281	Opioid dependence with opioid-induced sexual dysfunction
F11.282	Opioid dependence with opioid-induced sleep disorder
F11.288	Opioid dependence with other opioid-induced disorder
F11.29	Opioid dependence with unspecified opioid-induced disorder
F11.90	Opioid use, unspecified, uncomplicated
F11.920	Opioid use, unspecified with intoxication, uncomplicated
F11.921	Opioid use, unspecified with intoxication delirium
F11.922	Opioid use, unspecified with intoxication with perceptual disturbance
F11.929	Opioid use, unspecified with intoxication, unspecified
F11.93	Opioid use, unspecified with withdrawal
F11.94	Opioid use, unspecified with opioid-induced mood disorder
F11.950	Opioid use, unspecified with opioid-induced psychotic disorder with delusions
F11.951	Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations
F11.959	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified
F11.981	Opioid use, unspecified with opioid-induced sexual dysfunction
F11.982	Opioid use, unspecified with opioid-induced sleep disorder
F11.988	Opioid use, unspecified with other opioid-induced disorder
F11.99	Opioid use, unspecified with unspecified opioid-induced disorder

ICD-10 CODE	DESCRIPTION
F12.11	Cannabis abuse, in remission
F12.120	Cannabis abuse with intoxication, uncomplicated
F12.121	Cannabis abuse with intoxication delirium
F12.122	Cannabis abuse with intoxication with perceptual disturbance
F12.129	Cannabis abuse with intoxication, unspecified
F12.150	Cannabis abuse with psychotic disorder with delusions
F12.151	Cannabis abuse with psychotic disorder with hallucinations
F12.159	Cannabis abuse with psychotic disorder, unspecified
F12.180	Cannabis abuse with cannabis-induced anxiety disorder
F12.188	Cannabis abuse with other cannabis-induced disorder
F12.19	Cannabis abuse with unspecified cannabis-induced disorder
ICD-10 CODE	DESCRIPTION
F12.20	Cannabis dependence, uncomplicated
F12.21	Cannabis dependence, in remission
F12.220	Cannabis dependence with intoxication, uncomplicated
F12.221	Cannabis dependence with intoxication delirium
F12.222	Cannabis dependence with intoxication with perceptual disturbance
F12.229	Cannabis dependence with intoxication, unspecified
F12.23	Cannabis dependence with withdrawal
F12.250	Cannabis dependence with psychotic disorder with delusions
F12.251	Cannabis dependence with psychotic disorder with hallucinations
F12.259	Cannabis dependence with psychotic disorder, unspecified
F12.280	Cannabis dependence with cannabis-induced anxiety disorder
F12.288	Cannabis dependence with other cannabis-induced disorder
F12.29	Cannabis dependence with unspecified cannabis-induced disorder
F12.90	Cannabis use, unspecified, uncomplicated
F12.920	Cannabis use, unspecified with intoxication, uncomplicated
F12.921	Cannabis use, unspecified with intoxication delirium
F12.922	Cannabis use, unspecified with intoxication with perceptual disturbance
F12.929	Cannabis use, unspecified with intoxication, unspecified
F12.93	Cannabis use, unspecified with withdrawal
F12.950	Cannabis use, unspecified with psychotic disorder with delusions

ICD-10 CODE	DESCRIPTION
F12.951	Cannabis use, unspecified with psychotic disorder with hallucinations
F12.959	Cannabis use, unspecified with psychotic disorder, unspecified
F12.980	Cannabis use, unspecified with anxiety disorder
F12.988	Cannabis use, unspecified with other cannabis-induced disorder
F12.99	Cannabis use, unspecified with unspecified cannabis-induced disorder
F13.10	Sedative, hypnotic or anxiolytic abuse, uncomplicated
F13.11	Sedative, hypnotic or anxiolytic abuse, in remission
F13.120	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated
F13.121	Sedative, hypnotic or anxiolytic abuse with intoxication delirium
F13.129	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified
F13.14	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder
F13.150	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions
F13.151	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations
F13.159	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified
F13.180	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder
F13.181	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction
F13.182	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder
F13.188	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder
F13.19	Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder
F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated
F13.21	Sedative, hypnotic or anxiolytic dependence, in remission
F13.220	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated
F13.221	Sedative, hypnotic or anxiolytic dependence with intoxication delirium
F13.229	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified
F13.230	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated

ICD-10 CODE	DESCRIPTION
F13.231	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium
F13.232	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance
F13.239	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified
F13.24	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder
F13.250	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions
F13.251	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations
F13.259	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified
F13.26	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnestic disorder
F13.27	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia
F13.280	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder
F13.281	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction
F13.282	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder
F13.288	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder
F13.29	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder
F13.90	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated
F13.920	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated
F13.921	Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium
F13.929	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified
F13.930	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated
F13.931	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium
F13.932	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances
F13.939	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified

ICD-10 CODE	DESCRIPTION
F13.94	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder
F13.950	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions
F13.951	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations
F13.959	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified
F13.96	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder
F13.97	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia
F13.980	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder
F13.981	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction
F13.982	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder
F13.988	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder
F13.99	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder
F14.10	Cocaine abuse, uncomplicated
F14.11	Cocaine abuse, in remission
F14.120	Cocaine abuse with intoxication, uncomplicated
F14.121	Cocaine abuse with intoxication with delirium
F14.122	Cocaine abuse with intoxication with perceptual disturbance
F14.14	Cocaine abuse with cocaine-induced mood disorder
F14.150	Cocaine abuse with cocaine-induced psychotic disorder with delusions
F14.151	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations
F14.159	Cocaine abuse with cocaine-induced psychotic disorder, unspecified
F14.180	Cocaine abuse with cocaine-induced anxiety disorder
F14.181	Cocaine abuse with cocaine-induced sexual dysfunction
F14.182	Cocaine abuse with cocaine-induced sleep disorder
F14.188	Cocaine abuse with other cocaine-induced disorder

ICD-10 CODE	DESCRIPTION
F14.19	Cocaine abuse with unspecified cocaine-induced disorder
F14.20	Cocaine dependence, uncomplicated
F14.220	Cocaine dependence with intoxication, uncomplicated
F14.221	Cocaine dependence with intoxication delirium
F14.222	Cocaine dependence with intoxication with perceptual disturbance
F14.229	Cocaine dependence with intoxication, unspecified
F14.250	Cocaine dependence with cocaine-induced psychotic disorder with delusions
F14.251	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations
F14.259	Cocaine dependence with cocaine-induced psychotic disorder, unspecified
ICD-10 CODE	DESCRIPTION
F14.280	Cocaine dependence with cocaine-induced anxiety disorder
F14.281	Cocaine dependence with cocaine-induced sexual dysfunction
F14.282	Cocaine dependence with cocaine-induced sleep disorder
F14.288	Cocaine dependence with other cocaine-induced disorder
F14.29	Cocaine dependence with unspecified cocaine-induced disorder
F14.90	Cocaine use, unspecified, uncomplicated
F14.920	Cocaine use, unspecified with intoxication, uncomplicated
F14.921	Cocaine use, unspecified with intoxication delirium
F14.922	Cocaine use, unspecified with intoxication with perceptual disturbance
F14.929	Cocaine use, unspecified with intoxication, unspecified
F14.94	Cocaine use, unspecified with cocaine-induced mood disorder
F14.950	Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions
F14.951	Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations
F14.959	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified
F14.980	Cocaine use, unspecified with cocaine-induced anxiety disorder
F14.981	Cocaine use, unspecified with cocaine-induced sexual dysfunction
F14.982	Cocaine use, unspecified with cocaine-induced sleep disorder
F14.988	Cocaine use, unspecified with other cocaine-induced disorder
F14.99	Cocaine use, unspecified with unspecified cocaine-induced disorder
F15.10	Other stimulant abuse, uncomplicated
F15.11	Other stimulant abuse, in remission
F15.120	Other stimulant abuse with intoxication, uncomplicated

ICD-10 CODE	DESCRIPTION
F15.121	Other stimulant abuse with intoxication delirium
F15.122	Other stimulant abuse with intoxication with perceptual disturbance
F15.129	Other stimulant abuse with intoxication, unspecified
F15.14	Other stimulant abuse with stimulant-induced mood disorder
F15.150	Other stimulant abuse with stimulant-induced psychotic disorder with delusions
F15.151	Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations
F15.159	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified
F15.180	Other stimulant abuse with stimulant-induced anxiety disorder
F15.181	Other stimulant abuse with stimulant-induced sexual dysfunction
F15.182	Other stimulant abuse with stimulant-induced sleep disorder
F15.188	Other stimulant abuse with other stimulant-induced disorder
F15.19	Other stimulant abuse with unspecified stimulant-induced disorder
F15.20	Other stimulant dependence, uncomplicated
F15.21	Other stimulant dependence, in remission
F15.220	Other stimulant dependence with intoxication, uncomplicated
F15.221	Other stimulant dependence with intoxication delirium
F15.222	Other stimulant dependence with intoxication with perceptual disturbance
F15.229	Other stimulant dependence with intoxication, unspecified
F15.23	Other stimulant dependence with withdrawal
F15.24	Other stimulant dependence with stimulant-induced mood disorder
F15.250	Other stimulant dependence with stimulant-induced psychotic disorder with delusions
F15.251	Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations
F15.259	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified
F15.280	Other stimulant dependence with stimulant-induced anxiety disorder
F15.281	Other stimulant dependence with stimulant-induced sexual dysfunction
F15.282	Other stimulant dependence with stimulant-induced sleep disorder
F15.288	Other stimulant dependence with other stimulant-induced disorder
F15.29	Other stimulant dependence with unspecified stimulant-induced disorder
F15.90	Other stimulant use, unspecified, uncomplicated
F15.920	Other stimulant use, unspecified with intoxication, uncomplicated

ICD-10 CODE	DESCRIPTION
F15.921	Other stimulant use, unspecified with intoxication delirium
F15.922	Other stimulant use, unspecified with intoxication with perceptual disturbance
F15.929	Other stimulant use, unspecified with intoxication, unspecified
F15.93	Other stimulant use, unspecified with withdrawal
F15.94	Other stimulant use, unspecified with stimulant-induced mood disorder
F15.950	Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions
F15.951	Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations
F15.959	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified
F15.980	Other stimulant use, unspecified with stimulant-induced anxiety disorder
F15.981	Other stimulant use, unspecified with stimulant-induced sexual dysfunction
F15.982	Other stimulant use, unspecified with stimulant-induced sleep disorder
F15.988	Other stimulant use, unspecified with other stimulant-induced disorder
F15.99	Other stimulant use, unspecified with unspecified stimulant-induced disorder
F16.10	Hallucinogen abuse, uncomplicated
F16.11	Hallucinogen abuse, in remission
F16.120	Hallucinogen abuse with intoxication, uncomplicated
F16.121	Hallucinogen abuse with intoxication with delirium
F16.122	Hallucinogen abuse with intoxication with perceptual disturbance
F16.129	Hallucinogen abuse with intoxication, unspecified
F16.150	Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions
F16.151	Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations
F16.159	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified
F16.180	Hallucinogen abuse with hallucinogen-induced anxiety disorder
F16.183	Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)
F16.188	Hallucinogen abuse with other hallucinogen-induced disorder
F16.19	Hallucinogen abuse with unspecified hallucinogen-induced disorder
F16.20	Hallucinogen dependence, uncomplicated
F16.21	Hallucinogen dependence, in remission
F16.220	Hallucinogen dependence with intoxication, uncomplicated
F16.221	Hallucinogen dependence with intoxication with delirium

ICD-10 CODE	DESCRIPTION
F16.229	Hallucinogen dependence with intoxication, unspecified
F16.24	Hallucinogen dependence with hallucinogen-induced mood disorder
F16.250	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions
F16.251	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations
F16.259	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified
F16.280	Hallucinogen dependence with hallucinogen-induced anxiety disorder
F16.283	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)
F16.288	Hallucinogen dependence with other hallucinogen-induced disorder
F16.29	Hallucinogen dependence with unspecified hallucinogen-induced disorder
F16.90	Hallucinogen use, unspecified, uncomplicated
F16.920	Hallucinogen use, unspecified with intoxication, uncomplicated
F16.921	Hallucinogen use, unspecified with intoxication with delirium
F16.929	Hallucinogen use, unspecified with intoxication, unspecified
F16.94	Hallucinogen use, unspecified with hallucinogen-induced mood disorder
F16.950	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions
F16.951	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations
F16.959	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified
F16.980	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder
ICD-10 CODE	DESCRIPTION
F16.983	Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks)
F16.988	Hallucinogen use, unspecified with other hallucinogen-induced disorder
F16.99	Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder
F18.10	Inhalant abuse, uncomplicated
F18.11	Inhalant abuse, in remission
F18.120	Inhalant abuse with intoxication, uncomplicated
F18.121	Inhalant abuse with intoxication delirium
F18.129	Inhalant abuse with intoxication, unspecified

ICD-10 CODE	DESCRIPTION
F18.14	Inhalant abuse with inhalant-induced mood disorder
F18.150	Inhalant abuse with inhalant-induced psychotic disorder with delusions
F18.151	Inhalant abuse with inhalant-induced psychotic disorder with hallucinations
F18.159	Inhalant abuse with inhalant-induced psychotic disorder, unspecified
F18.17	Inhalant abuse with inhalant-induced dementia
F18.180	Inhalant abuse with inhalant-induced anxiety disorder
F18.188	Inhalant abuse with other inhalant-induced disorder
F18.19	Inhalant abuse with unspecified inhalant-induced disorder
F18.20	Inhalant dependence, uncomplicated
F18.21	Inhalant dependence, in remission
F18.220	Inhalant dependence with intoxication, uncomplicated
F18.221	Inhalant dependence with intoxication delirium
F18.229	Inhalant dependence with intoxication, unspecified
F18.24	Inhalant dependence with inhalant-induced mood disorder
F18.250	Inhalant dependence with inhalant-induced psychotic disorder with delusions
F18.251	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations
F18.259	Inhalant dependence with inhalant-induced psychotic disorder, unspecified
F18.27	Inhalant dependence with inhalant-induced dementia
F18.280	Inhalant dependence with inhalant-induced anxiety disorder
F18.288	Inhalant dependence with other inhalant-induced disorder
F18.29	Inhalant dependence with unspecified inhalant-induced disorder
F18.90	Inhalant use, unspecified, uncomplicated
F18.920	Inhalant use, unspecified with intoxication, uncomplicated
F18.921	Inhalant use, unspecified with intoxication with delirium
F18.929	Inhalant use, unspecified with intoxication, unspecified
F18.94	Inhalant use, unspecified with inhalant-induced mood disorder
F18.950	Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions
F18.951	Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations
F18.959	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified
F18.980	Inhalant use, unspecified with inhalant-induced anxiety disorder
F18.988	Inhalant use, unspecified with other inhalant-induced disorder

ICD-10 CODE	DESCRIPTION
F18.99	Inhalant use, unspecified with unspecified inhalant-induced disorder
F19.10	Other psychoactive substance abuse, uncomplicated
F19.11	Other psychoactive substance abuse, in remission
F19.120	Other psychoactive substance abuse with intoxication, uncomplicated
F19.121	Other psychoactive substance abuse with intoxication delirium
F19.122	Other psychoactive substance abuse with intoxication with perceptual disturbances
F19.129	Other psychoactive substance abuse with intoxication, unspecified
F19.14	Other psychoactive substance abuse with psychoactive substance-induced mood disorder
F19.150	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions
F19.151	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations
F19.159	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified
F19.16	Other psychoactive substance abuse with psychoactive substance-induced persisting amnesic disorder
F19.17	Other psychoactive substance abuse with psychoactive substance-induced persisting dementia
F19.180	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder
F19.181	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction
F19.182	Other psychoactive substance abuse with psychoactive substance-induced sleep disorder
F19.188	Other psychoactive substance abuse with other psychoactive substance-induced disorder
F19.19	Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder
F19.20	Other psychoactive substance dependence, uncomplicated
F19.21	Other psychoactive substance dependence, in remission
F19.220	Other psychoactive substance dependence with intoxication, uncomplicated
F19.221	Other psychoactive substance dependence with intoxication delirium
F19.222	Other psychoactive substance dependence with intoxication with perceptual disturbance

ICD-10 CODE	DESCRIPTION
F19.229	Other psychoactive substance dependence with intoxication, unspecified
F19.230	Other psychoactive substance dependence with withdrawal, uncomplicated
F19.231	Other psychoactive substance dependence with withdrawal delirium
F19.232	Other psychoactive substance dependence with withdrawal with perceptual disturbance
F19.239	Other psychoactive substance dependence with withdrawal, unspecified
F19.24	Other psychoactive substance dependence with psychoactive substance-induced mood disorder
F19.250	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions
F19.251	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations
F19.259	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified
F19.26	Other psychoactive substance dependence with psychoactive substance-induced persisting amnesic disorder
F19.27	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia
F19.280	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder
F19.281	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction
F19.282	Other psychoactive substance dependence with psychoactive substance-induced sleep disorder
F19.288	Other psychoactive substance dependence with other psychoactive substance-induced disorder
F19.29	Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder
F19.90	Other psychoactive substance use, unspecified, uncomplicated
F19.920	Other psychoactive substance use, unspecified with intoxication, uncomplicated
F19.921	Other psychoactive substance use, unspecified with intoxication with delirium
F19.922	Other psychoactive substance use, unspecified with intoxication with perceptual disturbance
F19.929	Other psychoactive substance use, unspecified with intoxication, unspecified
F19.930	Other psychoactive substance use, unspecified with withdrawal, uncomplicated

ICD-10 CODE	DESCRIPTION
F19.931	Other psychoactive substance use, unspecified with withdrawal delirium
F19.932	Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance
F19.939	Other psychoactive substance use, unspecified with withdrawal, unspecified
F19.94	Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder
F19.950	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions
F19.951	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations
F19.959	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified
F19.96	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnesic disorder
F19.97	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia
F19.980	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder
F19.981	Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction
F19.982	Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder
F19.988	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder
F19.99	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder
F20.0	Paranoid schizophrenia
F20.1	Disorganized schizophrenia
ICD-10 CODE	DESCRIPTION
F20.2	Catatonic schizophrenia
F20.3	Undifferentiated schizophrenia
F20.5	Residual schizophrenia
F20.81	Schizophreniform disorder
F20.89	Other schizophrenia
F20.9	Schizophrenia, unspecified

ICD-10 CODE	DESCRIPTION
F23	Brief psychotic disorder
F25.0	Schizoaffective disorder, bipolar type
F25.1	Schizoaffective disorder, depressive type
F25.8	Other schizoaffective disorders
F25.9	Schizoaffective disorder, unspecified
F28	Other psychotic disorder not due to a substance or known physiological condition
F29	Unspecified psychosis not due to a substance or known physiological condition
F30.10	Manic episode without psychotic symptoms, unspecified
F30.11	Manic episode without psychotic symptoms, mild
F30.12	Manic episode without psychotic symptoms, moderate
F30.13	Manic episode, severe, without psychotic symptoms
F30.2	Manic episode, severe with psychotic symptoms
F30.3	Manic episode in partial remission
F30.4	Manic episode in full remission
F30.8	Other manic episodes
F30.9	Manic episode, unspecified
F31.10	Bipolar disorder, current episode manic without psychotic features, unspecified
F31.11	Bipolar disorder, current episode manic without psychotic features, mild
F31.12	Bipolar disorder, current episode manic without psychotic features, moderate
F31.13	Bipolar disorder, current episode manic without psychotic features, severe
F31.2	Bipolar disorder, current episode manic severe with psychotic features
F31.30	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified
F31.31	Bipolar disorder, current episode depressed, mild
F31.32	Bipolar disorder, current episode depressed, moderate
F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features
F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features
F31.60	Bipolar disorder, current episode mixed, unspecified
F31.61	Bipolar disorder, current episode mixed, mild
F31.62	Bipolar disorder, current episode mixed, moderate
F31.63	Bipolar disorder, current episode mixed, severe, without psychotic features
F31.64	Bipolar disorder, current episode mixed, severe, with psychotic features
F31.70	Bipolar disorder, currently in remission, most recent episode unspecified

ICD-10 CODE	DESCRIPTION
F31.71	Bipolar disorder, in partial remission, most recent episode hypomanic
F31.72	Bipolar disorder, in full remission, most recent episode hypomanic
F31.73	Bipolar disorder, in partial remission, most recent episode manic
F31.74	Bipolar disorder, in full remission, most recent episode manic
F31.75	Bipolar disorder, in partial remission, most recent episode depressed
F31.76	Bipolar disorder, in full remission, most recent episode depressed
F31.77	Bipolar disorder, in partial remission, most recent episode mixed
F31.78	Bipolar disorder, in full remission, most recent episode mixed
F31.81	Bipolar II disorder
F31.89	Other bipolar disorder
F31.9	Bipolar disorder, unspecified
F32.0	Major depressive disorder, single episode, mild
F32.1	Major depressive disorder, single episode, moderate
F32.2	Major depressive disorder, single episode, severe without psychotic features
F32.3	Major depressive disorder, single episode, severe with psychotic features
F32.4	Major depressive disorder, single episode, in partial remission
F32.5	Major depressive disorder, single episode, in full remission
F32.81	Premenstrual dysphoric disorder
F32.89	Other specified depressive episodes
F32.9	Major depressive disorder, single episode, unspecified
F33.0	Major depressive disorder, recurrent, mild
F33.1	Major depressive disorder, recurrent, moderate
F33.2	Major depressive disorder, recurrent severe without psychotic features
F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms
F33.40	Major depressive disorder, recurrent, in remission, unspecified
F33.41	Major depressive disorder, recurrent, in partial remission
F33.42	Major depressive disorder, recurrent, in full remission
F33.8	Other recurrent depressive disorders
F33.9	Major depressive disorder, recurrent, unspecified
F34.0	Cyclothymic disorder
F34.1	Dysthymic disorder
F34.81	Disruptive mood dysregulation disorder

ICD-10 CODE	DESCRIPTION
F34.89	Other specified persistent mood disorders
F34.9	Persistent mood [affective] disorder, unspecified
F39	Unspecified mood [affective] disorder
F43.0	Acute stress reaction
F43.10	Post-traumatic stress disorder, unspecified
F43.11	Post-traumatic stress disorder, acute
F43.12	Post-traumatic stress disorder, chronic
F43.20	Adjustment disorder, unspecified
F43.21	Adjustment disorder with depressed mood
F43.22	Adjustment disorder with anxiety
F43.23	Adjustment disorder with mixed anxiety and depressed mood
F43.24	Adjustment disorder with disturbance of conduct
F43.25	Adjustment disorder with mixed disturbance of emotions and conduct
F43.29	Adjustment disorder with other symptoms
F43.8	Other reactions to severe stress
F43.9	Reaction to severe stress, unspecified
F44.0	Dissociative amnesia
F44.1	Dissociative fugue
F44.2	Dissociative stupor
F44.4	Conversion disorder with motor symptom or deficit
F44.5	Conversion disorder with seizures or convulsions
F44.6	Conversion disorder with sensory symptom or deficit
F44.7	Conversion disorder with mixed symptom presentation
F44.81	Dissociative identity disorder
F44.89	Other dissociative and conversion disorders
F44.9	Dissociative and conversion disorder, unspecified
F45.0	Somatization disorder
F45.1	Undifferentiated somatoform disorder
F45.20	Hypochondriacal disorder, unspecified
F45.21	Hypochondriasis
ICD-10 CODE	DESCRIPTION
F45.22	Body dysmorphic disorder

ICD-10 CODE	DESCRIPTION
F45.29	Other hypochondriacal disorders
F45.41	Pain disorder exclusively related to psychological factors
F45.42	Pain disorder with related psychological factors
F45.8	Other somatoform disorders
F45.9	Somatoform disorder, unspecified
F55.0	Abuse of antacids
F55.1	Abuse of herbal or folk remedies
F55.2	Abuse of laxatives
F55.3	Abuse of steroids or hormones
F55.4	Abuse of vitamins
F55.8	Abuse of other non-psychoactive substances
F60.0	Paranoid personality disorder
F60.1	Schizoid personality disorder
F60.2	Antisocial personality disorder
F60.3	Borderline personality disorder
F60.4	Histrionic personality disorder
F60.5	Obsessive-compulsive personality disorder
F60.6	Avoidant personality disorder
F60.7	Dependent personality disorder
F60.81	Narcissistic personality disorder
F60.89	Other specific personality disorders
F60.9	Personality disorder, unspecified
G40.001	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, with status epilepticus
G40.009	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, without status epilepticus
G40.011	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus
G40.019	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, without status epilepticus
G40.101	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, with status epilepticus
G40.109	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes

ICD-10 CODE	DESCRIPTION
	with simple partial seizures, not intractable, without status epilepticus
G40.111	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, with status epilepticus
G40.119	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus
G40.201	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, with status epilepticus
G40.209	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus
G40.211	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, with status epilepticus
G40.219	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus
G40.301	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.309	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.311	Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus
G40.319	Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.A01	Absence epileptic syndrome, not intractable, with status epilepticus
G40.A09	Absence epileptic syndrome, not intractable, without status epilepticus
G40.A11	Absence epileptic syndrome, intractable, with status epilepticus
G40.A19	Absence epileptic syndrome, intractable, without status epilepticus
G40.B01	Juvenile myoclonic epilepsy, not intractable, with status epilepticus
G40.B09	Juvenile myoclonic epilepsy, not intractable, without status epilepticus
G40.B11	Juvenile myoclonic epilepsy, intractable, with status epilepticus
G40.B19	Juvenile myoclonic epilepsy, intractable, without status epilepticus
G40.401	Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.409	Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.411	Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus

ICD-10 CODE	DESCRIPTION
G40.419	Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.501	Epileptic seizures related to external causes, not intractable, with status epilepticus
G40.509	Epileptic seizures related to external causes, not intractable, without status epilepticus
G40.801	Other epilepsy, not intractable, with status epilepticus
G40.802	Other epilepsy, not intractable, without status epilepticus
G40.803	Other epilepsy, intractable, with status epilepticus
G40.804	Other epilepsy, intractable, without status epilepticus
G40.811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40.812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40.813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40.814	Lennox-Gastaut syndrome, intractable, without status epilepticus
G40.821	Epileptic spasms, not intractable, with status epilepticus
G40.822	Epileptic spasms, not intractable, without status epilepticus
G40.823	Epileptic spasms, intractable, with status epilepticus
G40.824	Epileptic spasms, intractable, without status epilepticus
G40.89	Other seizures
G40.901	Epilepsy, unspecified, not intractable, with status epilepticus
G40.909	Epilepsy, unspecified, not intractable, without status epilepticus
G40.911	Epilepsy, unspecified, intractable, with status epilepticus
G40.919	Epilepsy, unspecified, intractable, without status epilepticus
I44.0	Atrioventricular block, first degree
I44.1	Atrioventricular block, second degree
I44.2	Atrioventricular block, complete
I44.30	Unspecified atrioventricular block
I45.81	Long QT syndrome
I47.0	Re-entry ventricular arrhythmia
I47.1	Supraventricular tachycardia
I47.2	Ventricular tachycardia
I49.2	Junctional premature depolarization
M25.50	Pain in unspecified joint

ICD-10 CODE	DESCRIPTION
M47.811	Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region
M47.812	Spondylosis without myelopathy or radiculopathy, cervical region
M47.813	Spondylosis without myelopathy or radiculopathy, cervicothoracic region
M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region
M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region
M47.818	Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region
M51.14	Intervertebral disc disorders with radiculopathy, thoracic region
M51.15	Intervertebral disc disorders with radiculopathy, thoracolumbar region
M51.16	Intervertebral disc disorders with radiculopathy, lumbar region
M51.17	Intervertebral disc disorders with radiculopathy, lumbosacral region
M51.36	Other intervertebral disc degeneration, lumbar region
M51.37	Other intervertebral disc degeneration, lumbosacral region
M54.10	Radiculopathy, site unspecified
M54.14	Radiculopathy, thoracic region
M54.15	Radiculopathy, thoracolumbar region
M54.16	Radiculopathy, lumbar region
M54.17	Radiculopathy, lumbosacral region
M54.18	Radiculopathy, sacral and sacrococcygeal region
M54.2	Cervicalgia
M54.5	Low back pain
ICD-10 CODE	DESCRIPTION
M60.811	Other myositis, right shoulder
M60.812	Other myositis, left shoulder
M60.821	Other myositis, right upper arm
M60.822	Other myositis, left upper arm
M60.831	Other myositis, right forearm
M60.832	Other myositis, left forearm
M60.841	Other myositis, right hand
M60.842	Other myositis, left hand
M60.851	Other myositis, right thigh
M60.852	Other myositis, left thigh
M60.861	Other myositis, right lower leg

ICD-10 CODE	DESCRIPTION
M60.862	Other myositis, left lower leg
M60.871	Other myositis, right ankle and foot
M60.872	Other myositis, left ankle and foot
M60.88	Other myositis, other site
M60.89	Other myositis, multiple sites
M79.11	Myalgia of mastication muscle
M79.12	Myalgia of auxiliary muscles, head and neck
M79.18	Myalgia, other site
M79.2	Neuralgia and neuritis, unspecified
M79.7	Fibromyalgia
R40.0	Somnolence
R40.1	Stupor
R40.2111	Coma scale, eyes open, never, in the field [EMT or ambulance]
R40.2112	Coma scale, eyes open, never, at arrival to emergency department
R40.2113	Coma scale, eyes open, never, at hospital admission
R40.2114	Coma scale, eyes open, never, 24 hours or more after hospital admission
R40.2121	Coma scale, eyes open, to pain, in the field [EMT or ambulance]
R40.2122	Coma scale, eyes open, to pain, at arrival to emergency department
R40.2123	Coma scale, eyes open, to pain, at hospital admission
R40.2124	Coma scale, eyes open, to pain, 24 hours or more after hospital admission
R40.2131	Coma scale, eyes open, to sound, in the field [EMT or ambulance]
R40.2132	Coma scale, eyes open, to sound, at arrival to emergency department
R40.2133	Coma scale, eyes open, to sound, at hospital admission
R40.2134	Coma scale, eyes open, to sound, 24 hours or more after hospital admission
R40.2141	Coma scale, eyes open, spontaneous, in the field [EMT or ambulance]
R40.2142	Coma scale, eyes open, spontaneous, at arrival to emergency department
R40.2143	Coma scale, eyes open, spontaneous, at hospital admission
R40.2144	Coma scale, eyes open, spontaneous, 24 hours or more after hospital admission
R40.2211	Coma scale, best verbal response, none, in the field [EMT or ambulance]
R40.2212	Coma scale, best verbal response, none, at arrival to emergency department
R40.2213	Coma scale, best verbal response, none, at hospital admission
R40.2214	Coma scale, best verbal response, none, 24 hours or more after hospital admission

ICD-10 CODE	DESCRIPTION
R40.2221	Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]
R40.2222	Coma scale, best verbal response, incomprehensible words, at arrival to emergency department
R40.2223	Coma scale, best verbal response, incomprehensible words, at hospital admission
R40.2224	Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission
R40.2231	Coma scale, best verbal response, inappropriate words, in the field [EMT or ambulance]
R40.2232	Coma scale, best verbal response, inappropriate words, at arrival to emergency department
R40.2233	Coma scale, best verbal response, inappropriate words, at hospital admission
R40.2234	Coma scale, best verbal response, inappropriate words, 24 hours or more after hospital admission
R40.2241	Coma scale, best verbal response, confused conversation, in the field [EMT or ambulance]
R40.2242	Coma scale, best verbal response, confused conversation, at arrival to emergency department
R40.2243	Coma scale, best verbal response, confused conversation, at hospital admission
R40.2244	Coma scale, best verbal response, confused conversation, 24 hours or more after hospital admission
R40.2251	Coma scale, best verbal response, oriented, in the field [EMT or ambulance]
R40.2252	Coma scale, best verbal response, oriented, at arrival to emergency department
R40.2253	Coma scale, best verbal response, oriented, at hospital admission
R40.2254	Coma scale, best verbal response, oriented, 24 hours or more after hospital admission
R40.2311	Coma scale, best motor response, none, in the field [EMT or ambulance]
R40.2312	Coma scale, best motor response, none, at arrival to emergency department
R40.2313	Coma scale, best motor response, none, at hospital admission
R40.2314	Coma scale, best motor response, none, 24 hours or more after hospital admission
R40.2321	Coma scale, best motor response, extension, in the field [EMT or ambulance]
R40.2322	Coma scale, best motor response, extension, at arrival to emergency department
R40.2323	Coma scale, best motor response, extension, at hospital admission
R40.2324	Coma scale, best motor response, extension, 24 hours or more after hospital admission

ICD-10 CODE	DESCRIPTION
R40.2331	Coma scale, best motor response, abnormal flexion, in the field [EMT or ambulance]
R40.2332	Coma scale, best motor response, abnormal flexion, at arrival to emergency department
R40.2333	Coma scale, best motor response, abnormal flexion, at hospital admission
R40.2334	Coma scale, best motor response, abnormal flexion, 24 hours or more after hospital admission
R40.2341	Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]
R40.2342	Coma scale, best motor response, flexion withdrawal, at arrival to emergency department
R40.2343	Coma scale, best motor response, flexion withdrawal, at hospital admission
R40.2344	Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission
R40.2351	Coma scale, best motor response, localizes pain, in the field [EMT or ambulance]
R40.2352	Coma scale, best motor response, localizes pain, at arrival to emergency department
R40.2353	Coma scale, best motor response, localizes pain, at hospital admission
R40.2354	Coma scale, best motor response, localizes pain, 24 hours or more after hospital admission
R40.2361	Coma scale, best motor response, obeys commands, in the field [EMT or ambulance]
R40.2362	Coma scale, best motor response, obeys commands, at arrival to emergency department
R40.2363	Coma scale, best motor response, obeys commands, at hospital admission
R40.2364	Coma scale, best motor response, obeys commands, 24 hours or more after hospital admission
R40.2410	Glasgow coma scale score 13-15, unspecified time
R40.2411	Glasgow coma scale score 13-15, in the field [EMT or ambulance]
R40.2412	Glasgow coma scale score 13-15, at arrival to emergency department
R40.2413	Glasgow coma scale score 13-15, at hospital admission
R40.2414	Glasgow coma scale score 13-15, 24 hours or more after hospital admission
R40.2420	Glasgow coma scale score 9-12, unspecified time
R40.2421	Glasgow coma scale score 9-12, in the field [EMT or ambulance]
R40.2422	Glasgow coma scale score 9-12, at arrival to emergency department
R40.2423	Glasgow coma scale score 9-12, at hospital admission

ICD-10 CODE	DESCRIPTION
R40.2424	Glasgow coma scale score 9-12, 24 hours or more after hospital admission
R40.2430	Glasgow coma scale score 3-8, unspecified time
R40.2431	Glasgow coma scale score 3-8, in the field [EMT or ambulance]
R40.2432	Glasgow coma scale score 3-8, at arrival to emergency department
R40.2433	Glasgow coma scale score 3-8, at hospital admission
R40.2434	Glasgow coma scale score 3-8, 24 hours or more after hospital admission
R40.2440	Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time
R40.2441	Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]
ICD-10 CODE	DESCRIPTION
R40.2442	Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department
R40.2443	Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission
R40.2444	Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission
R41.0	Disorientation, unspecified
R41.82	Altered mental status, unspecified
R44.0	Auditory hallucinations
R44.3	Hallucinations, unspecified
R56.00	Simple febrile convulsions
R56.01	Complex febrile convulsions
R56.1	Post traumatic seizures
R56.9	Unspecified convulsions
T39.011A	Poisoning by aspirin, accidental (unintentional), initial encounter
T39.011D	Poisoning by aspirin, accidental (unintentional), subsequent encounter
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter
T39.012D	Poisoning by aspirin, intentional self-harm, subsequent encounter
T39.013A	Poisoning by aspirin, assault, initial encounter
T39.013D	Poisoning by aspirin, assault, subsequent encounter
T39.014A	Poisoning by aspirin, undetermined, initial encounter
T39.014D	Poisoning by aspirin, undetermined, subsequent encounter

ICD-10 CODE	DESCRIPTION
T39.015A	Adverse effect of aspirin, initial encounter
T39.015D	Adverse effect of aspirin, subsequent encounter
T39.016A	Underdosing of aspirin, initial encounter
T39.016D	Underdosing of aspirin, subsequent encounter
T39.091A	Poisoning by salicylates, accidental (unintentional), initial encounter
T39.091D	Poisoning by salicylates, accidental (unintentional), subsequent encounter
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter
T39.092D	Poisoning by salicylates, intentional self-harm, subsequent encounter
T39.093A	Poisoning by salicylates, assault, initial encounter
T39.093D	Poisoning by salicylates, assault, subsequent encounter
T39.094A	Poisoning by salicylates, undetermined, initial encounter
T39.094D	Poisoning by salicylates, undetermined, subsequent encounter
T39.095A	Adverse effect of salicylates, initial encounter
T39.095D	Adverse effect of salicylates, subsequent encounter
T39.096A	Underdosing of salicylates, initial encounter
T39.096D	Underdosing of salicylates, subsequent encounter
T39.1X1A	Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter
T39.1X1D	Poisoning by 4-Aminophenol derivatives, accidental (unintentional), subsequent encounter
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter
T39.1X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter
T39.1X3A	Poisoning by 4-Aminophenol derivatives, assault, initial encounter
T39.1X3D	Poisoning by 4-Aminophenol derivatives, assault, subsequent encounter
T39.1X4A	Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter
T39.1X4D	Poisoning by 4-Aminophenol derivatives, undetermined, subsequent encounter
T39.1X5A	Adverse effect of 4-Aminophenol derivatives, initial encounter
T39.1X5D	Adverse effect of 4-Aminophenol derivatives, subsequent encounter
T39.1X6A	Underdosing of 4-Aminophenol derivatives, initial encounter
T39.1X6D	Underdosing of 4-Aminophenol derivatives, subsequent encounter
T39.2X1A	Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter
T39.2X1D	Poisoning by pyrazolone derivatives, accidental (unintentional), subsequent encounter

ICD-10 CODE	DESCRIPTION
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter
T39.2X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter
T39.2X3A	Poisoning by pyrazolone derivatives, assault, initial encounter
T39.2X3D	Poisoning by pyrazolone derivatives, assault, subsequent encounter
T39.2X4A	Poisoning by pyrazolone derivatives, undetermined, initial encounter
T39.2X4D	Poisoning by pyrazolone derivatives, undetermined, subsequent encounter
T39.2X5A	Adverse effect of pyrazolone derivatives, initial encounter
T39.2X5D	Adverse effect of pyrazolone derivatives, subsequent encounter
T39.311A	Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter
T39.311D	Poisoning by propionic acid derivatives, accidental (unintentional), subsequent encounter
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter
T39.312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter
T39.313A	Poisoning by propionic acid derivatives, assault, initial encounter
T39.313D	Poisoning by propionic acid derivatives, assault, subsequent encounter
T39.314A	Poisoning by propionic acid derivatives, undetermined, initial encounter
T39.314D	Poisoning by propionic acid derivatives, undetermined, subsequent encounter
T39.315A	Adverse effect of propionic acid derivatives, initial encounter
T39.315D	Adverse effect of propionic acid derivatives, subsequent encounter
T39.316A	Underdosing of propionic acid derivatives, initial encounter
T39.316D	Underdosing of propionic acid derivatives, subsequent encounter
T39.391A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter
T39.391D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), subsequent encounter
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter
T39.392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter
T39.393A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial encounter
T39.393D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, subsequent encounter
T39.394A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined,

ICD-10 CODE	DESCRIPTION
	initial encounter
T39.394D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, subsequent encounter
T39.395A	Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], initial encounter
T39.395D	Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], subsequent encounter
T39.396A	Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID], initial encounter
T39.396D	Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID], subsequent encounter
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter
T40.0X1D	Poisoning by opium, accidental (unintentional), subsequent encounter
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter
T40.0X3A	Poisoning by opium, assault, initial encounter
T40.0X3D	Poisoning by opium, assault, subsequent encounter
T40.0X4A	Poisoning by opium, undetermined, initial encounter
T40.0X4D	Poisoning by opium, undetermined, subsequent encounter
T40.0X5A	Adverse effect of opium, initial encounter
T40.0X5D	Adverse effect of opium, subsequent encounter
T40.0X6A	Underdosing of opium, initial encounter
T40.0X6D	Underdosing of opium, subsequent encounter
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter
T40.1X1D	Poisoning by heroin, accidental (unintentional), subsequent encounter
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter
T40.1X3A	Poisoning by heroin, assault, initial encounter
T40.1X3D	Poisoning by heroin, assault, subsequent encounter
T40.1X4A	Poisoning by heroin, undetermined, initial encounter
ICD-10 CODE	DESCRIPTION
T40.1X4D	Poisoning by heroin, undetermined, subsequent encounter
T40.2X1A	Poisoning by other opioids, accidental (unintentional), initial encounter

ICD-10 CODE	DESCRIPTION
T40.2X1D	Poisoning by other opioids, accidental (unintentional), subsequent encounter
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter
T40.2X3A	Poisoning by other opioids, assault, initial encounter
T40.2X3D	Poisoning by other opioids, assault, subsequent encounter
T40.2X4A	Poisoning by other opioids, undetermined, initial encounter
T40.2X4D	Poisoning by other opioids, undetermined, subsequent encounter
T40.2X5A	Adverse effect of other opioids, initial encounter
T40.2X5D	Adverse effect of other opioids, subsequent encounter
T40.2X6A	Underdosing of other opioids, initial encounter
T40.2X6D	Underdosing of other opioids, subsequent encounter
T40.3X1A	Poisoning by methadone, accidental (unintentional), initial encounter
T40.3X1D	Poisoning by methadone, accidental (unintentional), subsequent encounter
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter
T40.3X3A	Poisoning by methadone, assault, initial encounter
T40.3X3D	Poisoning by methadone, assault, subsequent encounter
T40.3X4A	Poisoning by methadone, undetermined, initial encounter
T40.3X4D	Poisoning by methadone, undetermined, subsequent encounter
T40.3X5A	Adverse effect of methadone, initial encounter
T40.3X5D	Adverse effect of methadone, subsequent encounter
T40.3X6A	Underdosing of methadone, initial encounter
T40.3X6D	Underdosing of methadone, subsequent encounter
T40.4X1A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter
T40.4X1D	Poisoning by other synthetic narcotics, accidental (unintentional), subsequent encounter
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter
T40.4X3A	Poisoning by other synthetic narcotics, assault, initial encounter
T40.4X3D	Poisoning by other synthetic narcotics, assault, subsequent encounter
T40.4X4A	Poisoning by other synthetic narcotics, undetermined, initial encounter
T40.4X4D	Poisoning by other synthetic narcotics, undetermined, subsequent encounter

ICD-10 CODE	DESCRIPTION
T40.4X5A	Adverse effect of other synthetic narcotics, initial encounter
T40.4X5D	Adverse effect of other synthetic narcotics, subsequent encounter
T40.4X6A	Underdosing of other synthetic narcotics, initial encounter
T40.4X6D	Underdosing of other synthetic narcotics, subsequent encounter
T40.5X1A	Poisoning by cocaine, accidental (unintentional), initial encounter
T40.5X1D	Poisoning by cocaine, accidental (unintentional), subsequent encounter
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter
T40.5X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter
T40.5X3A	Poisoning by cocaine, assault, initial encounter
T40.5X3D	Poisoning by cocaine, assault, subsequent encounter
T40.5X4A	Poisoning by cocaine, undetermined, initial encounter
T40.5X4D	Poisoning by cocaine, undetermined, subsequent encounter
T40.5X5A	Adverse effect of cocaine, initial encounter
T40.5X5D	Adverse effect of cocaine, subsequent encounter
T40.5X6A	Underdosing of cocaine, initial encounter
T40.5X6D	Underdosing of cocaine, subsequent encounter
T40.601A	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter
T40.601D	Poisoning by unspecified narcotics, accidental (unintentional), subsequent encounter
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter
T40.602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter
T40.603A	Poisoning by unspecified narcotics, assault, initial encounter
T40.603D	Poisoning by unspecified narcotics, assault, subsequent encounter
T40.604A	Poisoning by unspecified narcotics, undetermined, initial encounter
T40.604D	Poisoning by unspecified narcotics, undetermined, subsequent encounter
T40.605A	Adverse effect of unspecified narcotics, initial encounter
T40.605D	Adverse effect of unspecified narcotics, subsequent encounter
T40.606A	Underdosing of unspecified narcotics, initial encounter
T40.606D	Underdosing of unspecified narcotics, subsequent encounter
T40.691A	Poisoning by other narcotics, accidental (unintentional), initial encounter
T40.691D	Poisoning by other narcotics, accidental (unintentional), subsequent encounter
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter
T40.692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter

ICD-10 CODE	DESCRIPTION
T40.693A	Poisoning by other narcotics, assault, initial encounter
T40.693D	Poisoning by other narcotics, assault, subsequent encounter
T40.694A	Poisoning by other narcotics, undetermined, initial encounter
T40.694D	Poisoning by other narcotics, undetermined, subsequent encounter
T40.695A	Adverse effect of other narcotics, initial encounter
T40.695D	Adverse effect of other narcotics, subsequent encounter
T40.696A	Underdosing of other narcotics, initial encounter
T40.696D	Underdosing of other narcotics, subsequent encounter
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter
T40.7X1D	Poisoning by cannabis (derivatives), accidental (unintentional), subsequent encounter
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter
T40.7X3A	Poisoning by cannabis (derivatives), assault, initial encounter
T40.7X3D	Poisoning by cannabis (derivatives), assault, subsequent encounter
T40.7X4A	Poisoning by cannabis (derivatives), undetermined, initial encounter
T40.7X4D	Poisoning by cannabis (derivatives), undetermined, subsequent encounter
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter
T40.7X5D	Adverse effect of cannabis (derivatives), subsequent encounter
T40.7X6A	Underdosing of cannabis (derivatives), initial encounter
T40.7X6D	Underdosing of cannabis (derivatives), subsequent encounter
T40.8X1A	Poisoning by lysergide [LSD], accidental (unintentional), initial encounter
T40.8X1D	Poisoning by lysergide [LSD], accidental (unintentional), subsequent encounter
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter
T40.8X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter
T40.8X4A	Poisoning by lysergide [LSD], undetermined, initial encounter
T40.8X4D	Poisoning by lysergide [LSD], undetermined, subsequent encounter
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter
T40.901D	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter

ICD-10 CODE	DESCRIPTION
T40.902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter
T40.903A	Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter
T40.903D	Poisoning by unspecified psychodysleptics [hallucinogens], assault, subsequent encounter
T40.904A	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter
T40.904D	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, subsequent encounter
T40.905A	Adverse effect of unspecified psychodysleptics [hallucinogens], initial encounter
ICD-10 CODE	DESCRIPTION
T40.905D	Adverse effect of unspecified psychodysleptics [hallucinogens], subsequent encounter
T40.906A	Underdosing of unspecified psychodysleptics [hallucinogens], initial encounter
T40.906D	Underdosing of unspecified psychodysleptics [hallucinogens], subsequent encounter
T40.991A	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter
T40.991D	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40.992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter
T40.993A	Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter
T40.993D	Poisoning by other psychodysleptics [hallucinogens], assault, subsequent encounter
T40.994A	Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter
T40.994D	Poisoning by other psychodysleptics [hallucinogens], undetermined, subsequent encounter
T40.995A	Adverse effect of other psychodysleptics [hallucinogens], initial encounter
T40.995D	Adverse effect of other psychodysleptics [hallucinogens], subsequent encounter
T40.996A	Underdosing of other psychodysleptics [hallucinogens], initial encounter
T40.996D	Underdosing of other psychodysleptics [hallucinogens], subsequent encounter
T42.0X1A	Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter
T42.0X1D	Poisoning by hydantoin derivatives, accidental (unintentional), subsequent encounter

ICD-10 CODE	DESCRIPTION
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter
T42.0X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter
T42.0X3A	Poisoning by hydantoin derivatives, assault, initial encounter
T42.0X3D	Poisoning by hydantoin derivatives, assault, subsequent encounter
T42.0X4A	Poisoning by hydantoin derivatives, undetermined, initial encounter
T42.0X4D	Poisoning by hydantoin derivatives, undetermined, subsequent encounter
T42.0X5A	Adverse effect of hydantoin derivatives, initial encounter
T42.0X5D	Adverse effect of hydantoin derivatives, subsequent encounter
T42.0X6A	Underdosing of hydantoin derivatives, initial encounter
T42.0X6D	Underdosing of hydantoin derivatives, subsequent encounter
T42.3X1A	Poisoning by barbiturates, accidental (unintentional), initial encounter
T42.3X1D	Poisoning by barbiturates, accidental (unintentional), subsequent encounter
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter
T42.3X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter
T42.3X3A	Poisoning by barbiturates, assault, initial encounter
T42.3X3D	Poisoning by barbiturates, assault, subsequent encounter
T42.3X4A	Poisoning by barbiturates, undetermined, initial encounter
T42.3X4D	Poisoning by barbiturates, undetermined, subsequent encounter
T42.3X5A	Adverse effect of barbiturates, initial encounter
T42.3X5D	Adverse effect of barbiturates, subsequent encounter
T42.3X6A	Underdosing of barbiturates, initial encounter
T42.3X6D	Underdosing of barbiturates, subsequent encounter
T42.4X1A	Poisoning by benzodiazepines, accidental (unintentional), initial encounter
T42.4X1D	Poisoning by benzodiazepines, accidental (unintentional), subsequent encounter
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter
T42.4X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter
T42.4X3A	Poisoning by benzodiazepines, assault, initial encounter
T42.4X3D	Poisoning by benzodiazepines, assault, subsequent encounter
T42.4X4A	Poisoning by benzodiazepines, undetermined, initial encounter
T42.4X4D	Poisoning by benzodiazepines, undetermined, subsequent encounter
T42.4X5A	Adverse effect of benzodiazepines, initial encounter
T42.4X5D	Adverse effect of benzodiazepines, subsequent encounter

ICD-10 CODE	DESCRIPTION
T42.4X6A	Underdosing of benzodiazepines, initial encounter
T42.4X6D	Underdosing of benzodiazepines, subsequent encounter
T42.6X1A	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter
T42.6X1D	Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), subsequent encounter
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.6X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter
T42.6X3A	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter
T42.6X3D	Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, subsequent encounter
T42.6X4A	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter
T42.6X4D	Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, subsequent encounter
T42.6X5A	Adverse effect of other antiepileptic and sedative-hypnotic drugs, initial encounter
T42.6X5D	Adverse effect of other antiepileptic and sedative-hypnotic drugs, subsequent encounter
T42.6X6A	Underdosing of other antiepileptic and sedative-hypnotic drugs, initial encounter
T42.6X6D	Underdosing of other antiepileptic and sedative-hypnotic drugs, subsequent encounter
T42.71XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter
T42.71XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), subsequent encounter
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.72XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter
T42.73XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, initial encounter
T42.73XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, subsequent encounter

ICD-10 CODE	DESCRIPTION
T42.74XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter
T42.74XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, subsequent encounter
T42.75XA	Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, initial encounter
T42.75XD	Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, subsequent encounter
T42.76XA	Underdosing of unspecified antiepileptic and sedative-hypnotic drugs, initial encounter
T42.76XD	Underdosing of unspecified antiepileptic and sedative-hypnotic drugs, subsequent encounter
T43.011A	Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter
T43.011D	Poisoning by tricyclic antidepressants, accidental (unintentional), subsequent encounter
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter
T43.012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter
T43.013A	Poisoning by tricyclic antidepressants, assault, initial encounter
T43.013D	Poisoning by tricyclic antidepressants, assault, subsequent encounter
T43.014A	Poisoning by tricyclic antidepressants, undetermined, initial encounter
T43.014D	Poisoning by tricyclic antidepressants, undetermined, subsequent encounter
T43.015A	Adverse effect of tricyclic antidepressants, initial encounter
T43.015D	Adverse effect of tricyclic antidepressants, subsequent encounter
T43.016A	Underdosing of tricyclic antidepressants, initial encounter
T43.016D	Underdosing of tricyclic antidepressants, subsequent encounter
T43.021A	Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter
T43.021D	Poisoning by tetracyclic antidepressants, accidental (unintentional), subsequent encounter
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter
T43.022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter
T43.023A	Poisoning by tetracyclic antidepressants, assault, initial encounter
T43.023D	Poisoning by tetracyclic antidepressants, assault, subsequent encounter
T43.024A	Poisoning by tetracyclic antidepressants, undetermined, initial encounter

ICD-10 CODE	DESCRIPTION
T43.024D	Poisoning by tetracyclic antidepressants, undetermined, subsequent encounter
T43.025A	Adverse effect of tetracyclic antidepressants, initial encounter
T43.025D	Adverse effect of tetracyclic antidepressants, subsequent encounter
T43.026A	Underdosing of tetracyclic antidepressants, initial encounter
T43.026D	Underdosing of tetracyclic antidepressants, subsequent encounter
T43.1X1A	Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), initial encounter
ICD-10 CODE	DESCRIPTION
T43.1X1D	Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), subsequent encounter
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter
T43.1X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter
T43.1X3A	Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter
T43.1X3D	Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, subsequent encounter
T43.1X4A	Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial encounter
T43.1X4D	Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, subsequent encounter
T43.1X5A	Adverse effect of monoamine-oxidase-inhibitor antidepressants, initial encounter
T43.1X5D	Adverse effect of monoamine-oxidase-inhibitor antidepressants, subsequent encounter
T43.1X6A	Underdosing of monoamine-oxidase-inhibitor antidepressants, initial encounter
T43.1X6D	Underdosing of monoamine-oxidase-inhibitor antidepressants, subsequent encounter
T43.201A	Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter
T43.201D	Poisoning by unspecified antidepressants, accidental (unintentional), subsequent encounter
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter
T43.202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter

ICD-10 CODE	DESCRIPTION
T43.203A	Poisoning by unspecified antidepressants, assault, initial encounter
T43.203D	Poisoning by unspecified antidepressants, assault, subsequent encounter
T43.204A	Poisoning by unspecified antidepressants, undetermined, initial encounter
T43.204D	Poisoning by unspecified antidepressants, undetermined, subsequent encounter
T43.205A	Adverse effect of unspecified antidepressants, initial encounter
T43.205D	Adverse effect of unspecified antidepressants, subsequent encounter
T43.206A	Underdosing of unspecified antidepressants, initial encounter
T43.206D	Underdosing of unspecified antidepressants, subsequent encounter
T43.211A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter
T43.211D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), subsequent encounter
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter
T43.212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter
T43.213A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter
T43.213D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, subsequent encounter
T43.214A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter
T43.214D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, subsequent encounter
T43.215A	Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, initial encounter
T43.215D	Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, subsequent encounter
T43.216A	Underdosing of selective serotonin and norepinephrine reuptake inhibitors, initial encounter
T43.216D	Underdosing of selective serotonin and norepinephrine reuptake inhibitors, subsequent encounter
T43.221A	Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter
T43.221D	Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), subsequent encounter

ICD-10 CODE	DESCRIPTION
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter
T43.222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter
T43.223A	Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter
T43.223D	Poisoning by selective serotonin reuptake inhibitors, assault, subsequent encounter
T43.224A	Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter
T43.224D	Poisoning by selective serotonin reuptake inhibitors, undetermined, subsequent encounter
T43.225A	Adverse effect of selective serotonin reuptake inhibitors, initial encounter
T43.225D	Adverse effect of selective serotonin reuptake inhibitors, subsequent encounter
T43.226A	Underdosing of selective serotonin reuptake inhibitors, initial encounter
T43.226D	Underdosing of selective serotonin reuptake inhibitors, subsequent encounter
T43.291A	Poisoning by other antidepressants, accidental (unintentional), initial encounter
T43.291D	Poisoning by other antidepressants, accidental (unintentional), subsequent encounter
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter
T43.292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter
T43.293A	Poisoning by other antidepressants, assault, initial encounter
T43.293D	Poisoning by other antidepressants, assault, subsequent encounter
T43.294A	Poisoning by other antidepressants, undetermined, initial encounter
T43.294D	Poisoning by other antidepressants, undetermined, subsequent encounter
T43.295A	Adverse effect of other antidepressants, initial encounter
T43.295D	Adverse effect of other antidepressants, subsequent encounter
T43.296A	Underdosing of other antidepressants, initial encounter
T43.296D	Underdosing of other antidepressants, subsequent encounter
T43.3X1A	Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.3X1D	Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), subsequent encounter
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.3X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter

ICD-10 CODE	DESCRIPTION
T43.3X3A	Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter
T43.3X3D	Poisoning by phenothiazine antipsychotics and neuroleptics, assault, subsequent encounter
T43.3X4A	Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter
T43.3X4D	Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, subsequent encounter
T43.3X5A	Adverse effect of phenothiazine antipsychotics and neuroleptics, initial encounter
T43.3X5D	Adverse effect of phenothiazine antipsychotics and neuroleptics, subsequent encounter
T43.3X6A	Underdosing of phenothiazine antipsychotics and neuroleptics, initial encounter
T43.3X6D	Underdosing of phenothiazine antipsychotics and neuroleptics, subsequent encounter
T43.4X1A	Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter
T43.4X1D	Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), subsequent encounter
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter
T43.4X2D	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter
T43.4X3A	Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter
T43.4X3D	Poisoning by butyrophenone and thiothixene neuroleptics, assault, subsequent encounter
T43.4X4A	Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial encounter
T43.4X4D	Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, subsequent encounter
T43.4X5A	Adverse effect of butyrophenone and thiothixene neuroleptics, initial encounter
T43.4X5D	Adverse effect of butyrophenone and thiothixene neuroleptics, subsequent encounter
T43.4X6A	Underdosing of butyrophenone and thiothixene neuroleptics, initial encounter
T43.4X6D	Underdosing of butyrophenone and thiothixene neuroleptics, subsequent encounter
T43.501A	Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), initial encounter

ICD-10 CODE	DESCRIPTION
T43.501D	Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), subsequent encounter
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter
T43.503A	Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter
T43.503D	Poisoning by unspecified antipsychotics and neuroleptics, assault, subsequent encounter
T43.504A	Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial encounter
T43.504D	Poisoning by unspecified antipsychotics and neuroleptics, undetermined, subsequent encounter
T43.505A	Adverse effect of unspecified antipsychotics and neuroleptics, initial encounter
T43.505D	Adverse effect of unspecified antipsychotics and neuroleptics, subsequent encounter
T43.506A	Underdosing of unspecified antipsychotics and neuroleptics, initial encounter
T43.506D	Underdosing of unspecified antipsychotics and neuroleptics, subsequent encounter
T43.591A	Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial encounter
T43.591D	Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), subsequent encounter
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter
T43.593A	Poisoning by other antipsychotics and neuroleptics, assault, initial encounter
ICD-10 CODE	DESCRIPTION
T43.593D	Poisoning by other antipsychotics and neuroleptics, assault, subsequent encounter
T43.594A	Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter
T43.594D	Poisoning by other antipsychotics and neuroleptics, undetermined, subsequent encounter
T43.595A	Adverse effect of other antipsychotics and neuroleptics, initial encounter
T43.595D	Adverse effect of other antipsychotics and neuroleptics, subsequent encounter
T43.596A	Underdosing of other antipsychotics and neuroleptics, initial encounter
T43.596D	Underdosing of other antipsychotics and neuroleptics, subsequent encounter

ICD-10 CODE	DESCRIPTION
T43.601A	Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter
T43.601D	Poisoning by unspecified psychostimulants, accidental (unintentional), subsequent encounter
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter
T43.602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter
T43.603A	Poisoning by unspecified psychostimulants, assault, initial encounter
T43.603D	Poisoning by unspecified psychostimulants, assault, subsequent encounter
T43.604A	Poisoning by unspecified psychostimulants, undetermined, initial encounter
T43.604D	Poisoning by unspecified psychostimulants, undetermined, subsequent encounter
T43.605A	Adverse effect of unspecified psychostimulants, initial encounter
T43.605D	Adverse effect of unspecified psychostimulants, subsequent encounter
T43.606A	Underdosing of unspecified psychostimulants, initial encounter
T43.606D	Underdosing of unspecified psychostimulants, subsequent encounter
T43.611A	Poisoning by caffeine, accidental (unintentional), initial encounter
T43.611D	Poisoning by caffeine, accidental (unintentional), subsequent encounter
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter
T43.612D	Poisoning by caffeine, intentional self-harm, subsequent encounter
T43.613A	Poisoning by caffeine, assault, initial encounter
T43.613D	Poisoning by caffeine, assault, subsequent encounter
T43.614A	Poisoning by caffeine, undetermined, initial encounter
T43.614D	Poisoning by caffeine, undetermined, subsequent encounter
T43.615A	Adverse effect of caffeine, initial encounter
T43.615D	Adverse effect of caffeine, subsequent encounter
T43.616A	Underdosing of caffeine, initial encounter
T43.616D	Underdosing of caffeine, subsequent encounter
T43.621A	Poisoning by amphetamines, accidental (unintentional), initial encounter
T43.621D	Poisoning by amphetamines, accidental (unintentional), subsequent encounter
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter
T43.622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter
T43.623A	Poisoning by amphetamines, assault, initial encounter
T43.623D	Poisoning by amphetamines, assault, subsequent encounter

ICD-10 CODE	DESCRIPTION
T43.624A	Poisoning by amphetamines, undetermined, initial encounter
T43.624D	Poisoning by amphetamines, undetermined, subsequent encounter
T43.625A	Adverse effect of amphetamines, initial encounter
T43.625D	Adverse effect of amphetamines, subsequent encounter
T43.626A	Underdosing of amphetamines, initial encounter
T43.626D	Underdosing of amphetamines, subsequent encounter
T43.631A	Poisoning by methylphenidate, accidental (unintentional), initial encounter
T43.631D	Poisoning by methylphenidate, accidental (unintentional), subsequent encounter
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter
T43.632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter
T43.633A	Poisoning by methylphenidate, assault, initial encounter
T43.633D	Poisoning by methylphenidate, assault, subsequent encounter
T43.634A	Poisoning by methylphenidate, undetermined, initial encounter
T43.634D	Poisoning by methylphenidate, undetermined, subsequent encounter
T43.635A	Adverse effect of methylphenidate, initial encounter
T43.635D	Adverse effect of methylphenidate, subsequent encounter
T43.636A	Underdosing of methylphenidate, initial encounter
T43.636D	Underdosing of methylphenidate, subsequent encounter
T43.641A	Poisoning by ecstasy, accidental (unintentional), initial encounter
T43.641D	Poisoning by ecstasy, accidental (unintentional), subsequent encounter
T43.642A	Poisoning by ecstasy, intentional self-harm, initial encounter
T43.642D	Poisoning by ecstasy, intentional self-harm, subsequent encounter
T43.643A	Poisoning by ecstasy, assault, initial encounter
T43.643D	Poisoning by ecstasy, assault, subsequent encounter
T43.644A	Poisoning by ecstasy, undetermined, initial encounter
T43.644D	Poisoning by ecstasy, undetermined, subsequent encounter
T43.691A	Poisoning by other psychostimulants, accidental (unintentional), initial encounter
T43.691D	Poisoning by other psychostimulants, accidental (unintentional), subsequent encounter
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter
T43.692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter
T43.693A	Poisoning by other psychostimulants, assault, initial encounter

ICD-10 CODE	DESCRIPTION
T43.693D	Poisoning by other psychostimulants, assault, subsequent encounter
T43.694A	Poisoning by other psychostimulants, undetermined, initial encounter
T43.694D	Poisoning by other psychostimulants, undetermined, subsequent encounter
T43.695A	Adverse effect of other psychostimulants, initial encounter
T43.695D	Adverse effect of other psychostimulants, subsequent encounter
T43.696A	Underdosing of other psychostimulants, initial encounter
T43.696D	Underdosing of other psychostimulants, subsequent encounter
T43.8X1A	Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter
T43.8X1D	Poisoning by other psychotropic drugs, accidental (unintentional), subsequent encounter
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter
T43.8X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter
T43.8X3A	Poisoning by other psychotropic drugs, assault, initial encounter
T43.8X3D	Poisoning by other psychotropic drugs, assault, subsequent encounter
T43.8X4A	Poisoning by other psychotropic drugs, undetermined, initial encounter
T43.8X4D	Poisoning by other psychotropic drugs, undetermined, subsequent encounter
T43.8X5A	Adverse effect of other psychotropic drugs, initial encounter
T43.8X5D	Adverse effect of other psychotropic drugs, subsequent encounter
T43.8X6A	Underdosing of other psychotropic drugs, initial encounter
T43.8X6D	Underdosing of other psychotropic drugs, subsequent encounter
T43.91XA	Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter
T43.91XD	Poisoning by unspecified psychotropic drug, accidental (unintentional), subsequent encounter
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter
T43.92XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter
T43.93XA	Poisoning by unspecified psychotropic drug, assault, initial encounter
T43.93XD	Poisoning by unspecified psychotropic drug, assault, subsequent encounter
T43.94XA	Poisoning by unspecified psychotropic drug, undetermined, initial encounter
T43.94XD	Poisoning by unspecified psychotropic drug, undetermined, subsequent encounter
T43.95XA	Adverse effect of unspecified psychotropic drug, initial encounter
T43.95XD	Adverse effect of unspecified psychotropic drug, subsequent encounter

ICD-10 CODE	DESCRIPTION
T43.96XA	Underdosing of unspecified psychotropic drug, initial encounter
T43.96XD	Underdosing of unspecified psychotropic drug, subsequent encounter
T45.0X1A	Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter
ICD-10 CODE	DESCRIPTION
T45.0X1D	Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), subsequent encounter
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter
T45.0X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter
T45.0X3A	Poisoning by antiallergic and antiemetic drugs, assault, initial encounter
T45.0X3D	Poisoning by antiallergic and antiemetic drugs, assault, subsequent encounter
T45.0X4A	Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter
T45.0X4D	Poisoning by antiallergic and antiemetic drugs, undetermined, subsequent encounter
T45.0X5A	Adverse effect of antiallergic and antiemetic drugs, initial encounter
T45.0X5D	Adverse effect of antiallergic and antiemetic drugs, subsequent encounter
T45.0X6A	Underdosing of antiallergic and antiemetic drugs, initial encounter
T45.0X6D	Underdosing of antiallergic and antiemetic drugs, subsequent encounter
T46.0X1A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), initial encounter
T46.0X1D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), subsequent encounter
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter
T46.0X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter
T46.0X3A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, initial encounter
T46.0X3D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, subsequent encounter
T46.0X4A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, initial encounter
T46.0X4D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, subsequent encounter

ICD-10 CODE	DESCRIPTION
T46.0X5A	Adverse effect of cardiac-stimulant glycosides and drugs of similar action, initial encounter
T46.0X5D	Adverse effect of cardiac-stimulant glycosides and drugs of similar action, subsequent encounter
T46.0X6A	Underdosing of cardiac-stimulant glycosides and drugs of similar action, initial encounter
T46.0X6D	Underdosing of cardiac-stimulant glycosides and drugs of similar action, subsequent encounter
T50.901A	Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter
T50.901D	Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), subsequent encounter
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter
T50.902D	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter
T50.903A	Poisoning by unspecified drugs, medicaments and biological substances, assault, initial encounter
T50.903D	Poisoning by unspecified drugs, medicaments and biological substances, assault, subsequent encounter
T50.904A	Poisoning by unspecified drugs, medicaments and biological substances, undetermined, initial encounter
T50.904D	Poisoning by unspecified drugs, medicaments and biological substances, undetermined, subsequent encounter
T50.905A	Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter
T50.905D	Adverse effect of unspecified drugs, medicaments and biological substances, subsequent encounter
T50.906A	Underdosing of unspecified drugs, medicaments and biological substances, initial encounter
T50.906D	Underdosing of unspecified drugs, medicaments and biological substances, subsequent encounter
T50.911A	Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter
T50.912A	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter
T50.913A	Poisoning by multiple unspecified drugs, medicaments and biological substances,

ICD-10 CODE	DESCRIPTION
	assault, initial encounter
T50.914A	Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, initial encounter
T50.915A	Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter
T50.991A	Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), initial encounter
T50.991D	Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), subsequent encounter
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter
T50.992D	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter
T50.993A	Poisoning by other drugs, medicaments and biological substances, assault, initial encounter
T50.993D	Poisoning by other drugs, medicaments and biological substances, assault, subsequent encounter
T50.994A	Poisoning by other drugs, medicaments and biological substances, undetermined, initial encounter
T50.994D	Poisoning by other drugs, medicaments and biological substances, undetermined, subsequent encounter
T50.995A	Adverse effect of other drugs, medicaments and biological substances, initial encounter
T50.995D	Adverse effect of other drugs, medicaments and biological substances, subsequent encounter
T50.996A	Underdosing of other drugs, medicaments and biological substances, initial encounter
T50.996D	Underdosing of other drugs, medicaments and biological substances, subsequent encounter
Z71.51*	Drug abuse counseling and surveillance of drug abuser
Z79.891*	Long term (current) use of opiate analgesic
Z79.899	Other long term (current) drug therapy
Z91.120	Patient's intentional underdosing of medication regimen due to financial hardship
Z91.128	Patient's intentional underdosing of medication regimen for other reason
Z91.130	Patient's unintentional underdosing of medication regimen due to age-related debility

ICD-10 CODE	DESCRIPTION
Z91.138	Patient's unintentional underdosing of medication regimen for other reason
Z91.14	Patient's other noncompliance with medication regimen
Z91.19	Patient's noncompliance with other medical treatment and regimen

Group 2 Medical Necessity ICD-10 Codes Asterisk Explanation:

*Use ICD-10 code Z71.51 as the primary diagnosis and the specific drug dependence diagnosis as the secondary diagnosis.

*Use ICD-10 code Z79.891 for chronic opioid therapy (COT) monitoring.

ICD-10 Codes that DO NOT Support Medical Necessity

Group 1 Paragraph:

All those not listed under the "ICD-10 Codes that Support Medical Necessity" section of this article.

Group 1 Codes:

ICD-10 CODE	DESCRIPTION
XX000	Not Applicable

Additional ICD-10 Information

N/A

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

CODE	DESCRIPTION
012x	Hospital Inpatient (Medicare Part B only)
013x	Hospital Outpatient
014x	Hospital - Laboratory Services Provided to Non-patients
022x	Skilled Nursing - Inpatient (Medicare Part B only)
023x	Skilled Nursing - Outpatient
071x	Clinic - Rural Health
072x	Clinic - Hospital Based or Independent Renal Dialysis Center

CODE	DESCRIPTION
073x	Clinic - Freestanding
077x	Clinic - Federally Qualified Health Center (FQHC)
085x	Critical Access Hospital

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

Note: The contractor has identified the Bill Type and Revenue Codes applicable for use with the CPT/HCPCS codes included in this article. Providers are reminded that not all CPT/HCPCS codes listed can be billed with all Bill Type and/or Revenue Codes listed. CPT/HCPCS codes are required to be billed with specific Bill Type and Revenue Codes. Providers are encouraged to refer to the CMS Internet-Only Manual (IOM) Publication 100-04, *Medicare Claims Processing Manual*, for further guidance.

CODE	DESCRIPTION
0300	Laboratory - General Classification
0301	Laboratory - Chemistry
0309	Laboratory - Other Laboratory
0971	Professional Fees - Laboratory

Other Coding Information

N/A

Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
10/01/2019	R1	Article revised and published on 10/17/2019 effective for dates of service on or after 10/01/2019 to reflect the annual ICD-10-CM Code updates. The following codes have been added to Group 1: T50.911A, T50.912A, T50.913A, and T50.914A. The following

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		<p>codes have been added to Group 2: T50.911A, T50.912A, T50.913A, T50.914A, and T50.915A. The following codes have undergone a descriptor change: T40.906A, T40.906D, T40.996A and T40.996D. Asterisks were placed next to the appropriate codes in ICD-10 Code Groups 1 and 2 with the asterisks explanations moved from the Groups paragraph to the asterisks explanations at the bottom of the tables.</p> <p>Also due to system changes, the coding section of this article has been reorganized and a new section for modifiers has been added.</p>

Associated Documents

Related Local Coverage Document(s)

LCD(s)

L35006 - Controlled Substance Monitoring and Drugs of Abuse Testing

Related National Coverage Document(s)

N/A

Statutory Requirements URL(s)

N/A

Rules and Regulations URL(s)

N/A

CMS Manual Explanations URL(s)

N/A

Other URL(s)

N/A

Public Version(s)

Updated on 10/11/2019 with effective dates 10/01/2019 - N/A

Updated on 06/21/2019 with effective dates 06/27/2019 - N/A

Keywords

N/A